



GPW13 COUNTRY PROFILE

1. Overview


Demographic, social and economics determinants.

| Indicator (source: World Bank) | Value | Year |
|------------------------------------|------------|------|
| Country Size(km sq) | 318,000.00 | 2020 |
| Demographic growth(%) | 2.54 | 2020 |
| GDP growth (Annual %) | 4.73 | 2018 |
| GDP per capita(per capita in US\$) | 2,325.72 | 2020 |
| Inflation rate(%) | 2.43 | 2020 |
| Population size | 26,378.28 | 2020 |

Life expectancy


Life expectancy at birth(years)

source:(WHO/GHO)



Healthy life expectancy at birth (years)

source:(WHO/GHO)




2. Universal Health Coverage

Service coverage


UHC coverage index(%)

source:(GHO)




Need for family planning satisfied with modern methods among women aged 15-49 who are married or in union(%)

source:(WHO)




Antenatal care coverage(+4 visits) (%)

source:(WHO)




Proportion of births attended by skilled health personnel (%)

source:(WHO)




Maternal mortality ratio (per 100,000 live births)

source:(WHO/UNICEF/UNMMEIG/UNFPA)



DTP3 immunization coverage for children aged 1 year (%)


source:(WHO)



TB and HIV/ART treatment coverage(%)


source:(WHO)

Indicator ● ART coverage ● TB




Care seeking for children with symptoms of pneumonia 2010-2019 (%)

source:(WHO)



Insecticide treated net (ITN) among people living in Malaria endemic areas(%)


source:(WHO)



Prevalence of raised blood pressure in adults aged 18+ (%)

source:(WHO)


Category ● Female ● Male



Age standardized prevalence of raised blood glucose among people aged 18+ or on medication(%)


source:(WHO)

Category ● Female ● Male



Population access to at least basic sanitation(%)


source:(WHO)



Financial risk protection


Proportion of population with large household expenditure on health more than 10% of total household expenditure(%)

source:(WHO)




Out of pocket spending as a percentage of total expenditure (%)

source(WHO)



Government health expenditure as a percentage of total health expenditure(%)

source(WHO)




3. Protection from health emergencies

Preparedness

Average of 13 IHR core capacity scores (%)

(source: WHO)


● 2018 ● 2022



Prevention

Immunization coverage of selected diseases(%)


Source:(WHO)



Detect and respond

Events detected and responded to in a timely fashion(%)

(source: WHO)




4. Healthier Population

Prevalence of wasting and stunting among children under five(%)


(source: WHO)

Indicator ● Overweight ● Stunting ● Wasting



Alcohol consumption among people aged 15+ years (litres of pure alcohol)


(source: WHO)



Age-standardised prevalence of current tobacco use among persons aged 15 years and older(%)


(source: WHO)

Category ● Female ● Male




Mortality caused by road traffic injuries (per 100 000 population)

source: (WHO)




Crude suicide mortality rate(per 100 000 population)

source:(WHO)




Under five children who are developmentally on track 2010-2019(%)


source:(WHO)




Population using safely managed sanitation drinking water and reliance on clean fuels and technology(%)
 (source:(WHO))



Obesity rate among adults(%)
 source: (WHO)



Intimate partner violence prevalence(%)
 source:(WHO)



Sources: GHO, UNICEF, UNDESA, UNFPA, UNMMEIG, World Bank, and WHO

Note: Value for years 2025 and 2030 are projected values estimated using the Annual Average Rate (AAR) method.

Contacts: iaho@who.int